


ALUPLAST



259 002
Blechdicke (mm): 1,5 | 2,0mm



259 025
Blechdicke (mm): 1,5mm



229 026
Blechdicke (mm): 2,0mm



229 026
Blechdicke (mm): 1,5 | 2,0mm



229 026
Blechdicke (mm): 1,5 | 2,0mm

Status	Symbol	Dimensionen	Blechdicke
NEW	209 121	10 x 45	1,5
	209 192	40 x 48	1,25 1,5
	209 193	40 x 48	2,0
NEW	209 294	40,0 x 31,5	2,0

	209 900	10 x 59	1,5
	219 103	32 x 21,5	1,2 1,5
NEW	219 191	15 x 40	2,0
	229 001	30 x 31	1,5
NEW	229 002	30 x 31	2,0
NEW	229 003	30 X 27	1,5
NEW	229 004	30 x 27	2,0
NEW	229 005	30 x 43	2,0
	229 015	12,0 x 34,5 x 18,5	1,5
	229 017	35 X 40	1,5
	229 018	13 x 80	2,0
	229 023	27 x 35	1,5
	229 024	27 x 35	2,0
NEW	229 025	35 x 27	1,0 1,25
NEW	229 026	27 x 35	2,0
	229 027	27 x 35	1,5
	229 028	27 x 35	2,0
	229 029	35 x 27	1,25 1,5
	229 030	35 x 27	2,0
NEW	229 037	35 x 17,5	1,5
	229 040	40 x 40	1,5 2,0
	229 063	14,5 x 48	2,0
NEW	229 100	35 x 20	1,25 1,5 2,0
NEW	229 101	35 x 20	1,5
NEW	229 102	45 x 20	2,0
	229 107	25 x 15	2,0

	229 110	35 x 15	1,5
NEW	229 111	35 x 15	2,0
	229 112	30 x 30	1,25
	229 113	30 x 30	2,0 3,0
	229 114	35 x 40	1,5
	229 115	35 x 40	2,0
NEW	229 121	30 x 30	1,5
	229 125	50 x 40	2,0
	229 126	50 x 40	3,0
	229 135	50 x 50	2,0
	239 019	30 x 32	1,5
	239 020	30 x 32	2,0
	239 030	15 x 30	1,5 2,0
	239 129	30 x 20	1,5
	239 130	30 x 20	2,0
	249 004	35 x 20	1,5 2,0
	249 007	50 x 35	2,0
	249 009	35 x 35	1,5
	249 010	27,5 x 38	1,5
	249 013	50 x 40	2,0



KONTAKT

+48 58 582 51 41
 biuro@landsberg.pl

ADRES SIEDZIBY FIRMY I FABRYKI

LANDSBERG sp. z o.o. sp. k.
 Wolental 15 i
 83-213 Skórcz, Polska